

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants	: Y. MURAKAMI et al.	<b><u>Certificate of Correction Branch</u></b>
Patent No.	: 7,570,626	Issued: August 4, 2009
Appln. No.	: 10/516,937	Filed: December 14, 2004
For	: COMMUNICATION METHOD, TRANSMITTING DEVICE USING THE SAME, AND RECEIVING DEVICE USING THE SAME	

**REQUEST FOR CERTIFICATE OF CORRECTION**

Commissioner for Patents  
U.S. Patent and Trademark Office  
Customer Service Window, Mail Stop Certificate of Correction Branch  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

Dear Sir:

Please find attached a proposed Certificate of Correction.

Please correct the following errors appearing in the printed patent, which are apparently the fault of the U.S. Patent and Trademark Office. Thus, no fee is required to be paid to correct this error.

At column 64, line 26 (claim 11, line 5) of the printed patent, “determining” should be-- determination--. This appeared correctly on page 5, line 10 (claim 29, line 4) of the Amendment under 37 C.F.R. §1.112 filed on February 20, 2009.

At column 64, line 34 (claim 11, line 13) of the printed patent, delete “,” after antenna. This appeared correctly on page 5, line 16 (claim 29, line 10) of the Amendment under 37 C.F. R. §1.112

filed on February 20, 2009.

At column 64, line 34 (claim 11, line 13) of the printed patent, add-- a -- before "second". This appeared correctly on page 5, line 16 (claim 29, line 10) of the Amendment under 37 C.F.R. §1.112 filed on February 20, 2009.

Therefore, it is respectfully requested that a Certificate of Correction issue in the above-identified patent as follows:


At column 64, line 26 (claim 11, line 5) of the printed patent, change "determining" to-- determination --.

At column 64, line 34 (claim 11, line 13) of the printed patent, delete ",", after antenna

At column 64, line 34 (claim 11, line 13) of the printed patent, add -- a -- before "second".

Should there be any questions, the Examiner is invited to contact the undersigned at the below-listed number.

Respectfully submitted,  
Y. MURAKAMI et al

  
Bruce H. Bernstein  
Reg. No. 29,027

William Piepr.  
Reg. No. 33,611

November 18, 2009  
GREENBLUM & BERNSTEIN, P.L.C.  
1950 Roland Clarke Place  
Reston, VA 20191  
(703) 716-1191

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,570,626

APPLICATION NO.: 10/516,937

ISSUE DATE: August 4, 2009

INVENTOR(S): Y. MURAKAMI et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 64, line 26 (claim 11, line 5) of the printed patent, "determining" should be -- determination --.

At column 64, line 34 (claim 11, line 13) of the printed patent, "," should be deleted after antenna.

At column 64, line 34 (claim 11, line 13) of the printed patent, -- a -- should be added before "second".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.

1950 Roland Clarke Place  
Reston, VA 20191-1411

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*